

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) Issue date: 6/25/2025 Version: 1.0

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture

Trade name : 1&2 Sprey: Lavender Delight

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : For use with Osprey Bidet (toilet seat bidet attachment), essential oil spray that is sprayed from a

4oz bottle into the toilet bowl water to provide an odor shield from poop

Restrictions on use : Only for use with patented Osprey Bidet

1.4. Supplier's details

Destinked Bathroom LLC 808 Kings Court Middletown, NJ 07748 T 848-254-0144

info@DestinkedBathroom.com

1.5. Emergency phone number

Emergency number : 1-833-784-6533 OR 1-8-DESTINKED

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquid, Category 2 H225 Highly flammable liquid and vapor.

Skin corrosion/irritation, Category 2 H315 Causes skin irritation.

Serious eye damage/eye irritation, Category 2A H319 Causes serious eye irritation.
Skin sensitization, Category 1 H317 May cause an allergic skin reaction.

Aspiration hazard, Category 1 H304 May be fatal if swallowed and enters airways.

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)







Signal word (GHS US) : Danger

Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No

smoking.

Keep container tightly closed.

6/25/2025 (Issue date) US - en 1/12

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Ground/Bond container and receiving equipment.

Use explosion-proof electrical, lighting, ventilating equipment.

Avoid breathing vapors, mist, spray.

Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If swallowed: Immediately call a poison center or doctor.

Do NOT induce vomiting.

If on skin: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice or attention.

Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice or attention.

In case of fire: Use Dry chemical, CO2, alcohol-resistant foam or waterspray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Lavender Oil	CAS-No.: 8000-28-0	12.5	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Isopropyl alcohol	CAS-No.: 67-63-0	12.5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

Full text of hazard classes and H-statements : see section 16

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : First aider: Pay attention to self-protection. Never give anything by mouth to an unconscious person. Give artificial respiration if necessary. Induce artificial respiration with mask fitted with

one-way valve or other suitable device but not mouth-to-mouth. If you feel unwell, seek medical advice.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. If the victim is unconscious: Lay in a stable manner on victim's side. Induce artificial respiration with mask fitted with one-way valve or other suitable device; not mouth-to-mouth. If

experiencing respiratory symptoms: Call a poison center or a doctor.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin areas with mild soap and water, followed by

warm water rinse. In case of irritation as a result of contact with genitialia or buttocks wash with soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated

clothing before reuse.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Drink plenty of water. Do NOT induce vomiting. If vomiting occurs, the head should

be kept low so that vomit does not enter the lungs. Call a poison center/doctor/physician if you

feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects : After contact with skin, wash immediately with plenty of water and soap.

Symptoms/effects after inhalation : Inhalation may cause irritation, cough, shortness of breath.

Symptoms/effects after skin contact : Causes skin irritation. Irritation (itching, redness, blistering). May cause an allergic skin reaction.

Symptoms/effects after eye contact : Stinging, redness, itching, tears, blurred vision, swelling.

Symptoms/effects after ingestion : May cause irritation to the digestive tract. Swallowing the liquid may cause aspiration into the

lungs with the risk of chemical pneumonitis.

Most Important Symptoms/Effects : Causes serious eye irritation. May cause an allergic skin reaction. Swallowing the liquid may

cause aspiration into the lungs with the risk of chemical pneumonitis.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : IF exposed or concerned: Get medical advice/attention.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Dry chemical, CO2, alcohol-resistant foam or waterspray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor.

Explosion hazard : Vapors may form explosive mixture with air. Vapors are heavier than air and may travel

considerable distance to an ignition source and flash back to source of vapors.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : For small fire: Fight fire with normal precautions from a reasonable distance. Do not enter fire

area without proper protective equipment, including respiratory protection. Move containers from fire area if it can be done without personal risk. Use water spray or fog for cooling exposed containers. Use extinguishing media appropriate for surrounding fire. Eliminate all ignition sources if safe to do so. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Prevent fire-fighting water from entering environment.

6/25/2025 (Issue date) US - en 3/12

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Avoid all personal contact including breathing in the mist, spray, vapors. Do not take actions involving personal risks. Absorb spillage to prevent material-damage. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

For non-emergency personnel

Protective equipment

: Wear recommended personal protective equipment.

Emergency procedures

: Evacuate the danger area. If outdoors, move to an area upwind of the danger area. Only qualified personnel equipped with suitable protective equipment may intervene. If possible without taking personal risks, Remove ignition sources, ventilate area. Do not breathe fume, gas, vapors. No open flames, no sparks, and no smoking. Prevent other non-emergency personnel from entering the danger area.

For emergency responders

Protective equipment

: Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures

: Evacuate unnecessary personnel. Stop leak if safe to do so. Remove all sources of ignition.

Prevent runoff from entering drains, sewers or waterways.

Environmental precautions

: Do not let the product reach soil, drains, sewers, or surface and ground water.

6.2. Methods and materials for containment and cleaning up

For containment

: Small spills: Contain with non-combustible inert absorbent. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal.

Methods for cleaning up

Take up in non-combustible inert absorbent and place into container for disposal. Absorb remaining liquid with sand or inert absorbent and remove to safe place. Contaminated absorbent material may pose the same hazard as the spilt product. Decontaminate surfaces and equipment with water and detergent. Until a sufficient level of dilution is achieved, the decontamination water may pose the same hazards as the product.

Other information

 Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

For further information refer to section 8: "Exposure controls/personal protection", For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid contact with skin, eyes and clothing. Avoid breathing fume, gas, vapors. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Use explosion-proof equipment. Flammable vapors may accumulate in the container.

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.

Additional hazards when processed

: Proper grounding procedures to avoid static electricity should be followed.

6/25/2025 (Issue date) US - en 4/12

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Store in a cool, dry and well-ventilated area away from incompatible substances. Keep away

from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Protect

from sunlight. Keep container tightly closed. Use explosion-proof equipment.

Incompatible materials : Strong acids. Strong oxidizers.

Heat-ignition : Keep away from sources of ignition - No smoking.

Packaging materials : Always store product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

1&2 Sprey: Lavender Delight	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanol
ACGIH® TLV® STEL	1000 ppm
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2025
USA - OSHA - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
OSHA PEL TWA	1900 mg/m³
	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Isopropyl alcohol (67-63-0)	
USA - ACGIH - Occupational Exposure Limits	
Local name	2-Propanol
ACGIH® TLV® TWA	491 mg/m³
	200 ppm
ACGIH® TLV® STEL	984 mg/m³
	400 ppm
Remark (ACGIH)	TLV® Basis: Eye & URT irr; CNS repair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI
Regulatory reference	ACGIH 2025
USA - ACGIH - Biological Exposure Indices	
Local name	2-Propanol
BEI	40 mg/l Parameter: Acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B, Ns
Regulatory reference	ACGIH 2025
USA - OSHA - Occupational Exposure Limits	
Local name	Isopropyl alcohol

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Isopropyl alcohol (67-63-0)	
OSHA PEL TWA	980 mg/m³
	400 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Use general ventilation, local exhaust ventilation, or

process enclosure to keep the airborne concentrations below the permissible exposure limits. Emergency eye wash fountains and safety showers should be available in the immediate vicinity

of any potential exposure.

Environmental exposure controls : Avoid release to the environment. Take measures to reduce or limit air emissions and releases

to soil and the aquatic environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Personal protective equipment should be chosen according to national standards and in discussion with the supplier of the protective equipment.

Hand protection:

No protection is ordinarily required under normal conditions of use. Workplace: Wear protective gloves

Eye protection:

No special eye protection equipment recommended under normal conditions of use. Workplace: Wear safety glasses which protect from splashes

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use. Workplace: Wear appropriate splash-resistant clothing to prevent skin exposure.

Respiratory protection:

No respiratory protection needed under normal use conditions. In case of inadequate ventilation wear respiratory protection.

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Liquid

Appearance Clear. Transparent. Color No data available Odor : Floral Lavender Odor threshold No data available No data available рΗ Melting point No data available Freezing point No data available Boiling point No data available Flash point : No data available Flammability (solid, gas) : No data available : No data available Vapor pressure

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Relative vapor density at 20°C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature : No data available Viscosity, kinematic **Explosion limits** : No data available Particle characteristics : No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Vapors may form flammable and explosive mixture with air.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Incompatible materials.

10.5. Incompatible materials

Strong acids. Strong oxidizers.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates: Carbon dioxide. Carbon monoxide.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Isopropyl alcohol

LD50 oral rat 5840 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Lavender Oil

Skin sensitization, mouse Sensitiser

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Isopropyl alcohol

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified STOT-single exposure : Not classified

Isopropyl alcohol

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

Symptoms/effects : After contact with skin, wash immediately with plenty of water and soap.

Symptoms/effects after inhalation : Inhalation may cause irritation, cough, shortness of breath.

Symptoms/effects after skin contact : Causes skin irritation. Irritation (itching, redness, blistering). May cause an allergic skin reaction.

Symptoms/effects after eye contact : Stinging, redness, itching, tears, blurred vision, swelling.

Symptoms/effects after ingestion : May cause irritation to the digestive tract. Swallowing the liquid may cause aspiration into the

lungs with the risk of chemical pneumonitis.

Most Important Symptoms/Effects : Causes serious eye irritation. May cause an allergic skin reaction. Swallowing the liquid may

cause aspiration into the lungs with the risk of chemical pneumonitis.

SECTION 12 Ecological information

12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term

acuta)

acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life

: Toxic to aquatic life with long lasting effects

Lavender Oil		
LC50 - Fish [1]	0.572 mg/l	
EC50 96h - Algae [1]	0.437 mg/l	
Isopropyl alcohol		
ізоргоруї аісопої		
LC50 - Fish [1]	10000 mg/l	

12.2. Persistence and degradability

1&2 Sprey: Lavender Delight		
Persistence and degradability	Not established.	
Lavender Oil		
Persistence and degradability	Not rapidly degradable	
Isopropyl alcohol		
Persistence and degradability	Not rapidly degradable	

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

12.3. Bioaccumulative potential

Lavender Oil

Partition coefficient n-octanol/water (Log Pow) 3.93

12.4. Mobility in soil

Lavender Oil

Mobility in soil 1080

12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Disposal must be done according to official regulations. Dispose of this material and its container

at hazardous or special waste collection point. Refer to all applicable national, international and local regulations or provisions. U.S. - RCRA (Resource Conservation Recovery Act) - D Waste-

Characteristic Waste Codes. D001: IGNITABLE WASTE.

Additional information : Flammable vapors may accumulate in the container. Do not re-use empty containers.

Ecological waste information : Avoid release to the environment.

SECTION 14 Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
14.1. UN number		
UN1219	1219	1219
14.2. Proper Shipping Name		
Isopropyl alcohol (SOLUTION)	ISOPROPANOL (ISOPROPYL ALCOHOL) (SOLUTION)	Isopropyl alcohol (SOLUTION)
14.3. Transport hazard class(es)		
3	3	3
14.4. Packing group		
II	II	II
14.5. Environmental hazards		
	Dangerous for the environment: Yes Marine pollutant: Yes	
No supplementary information available		

14.6. Transport in bulk

Not applicable

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

14.7. Special precautions for user

DOT

UN-No. (DOT) : UN1219
DOT Packaging Exceptions (49 CFR 173.xxx) : 4b;150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Quantity Limitations Passenger aircraft/rail (49 : 5 L

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

IMDG

Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1

EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS

EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS

Stowage category (IMDG) : B Flash point (IMDG) : 12°C c.c.

Properties and observations (IMDG) : Colorless, mobile liquid. Flashpoint: 12°C c.c. Explosive limits: 2% to 12%. Miscible with water.

IATA

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 353 : 5L PCA max net quantity (IATA) : 364 CAO packing instructions (IATA) : 60L CAO max net quantity (IATA) ERG code (IATA) : 3L

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Isopropyl alcohol CAS-No. 67-63-0 12.5%

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

15.2. International regulations

CANADA

1&2 Sprey: Lavender Delight

Listed on the Canadian DSL (Domestic Substances List)

Lavender Oil (8000-28-0)

Listed on the Canadian DSL (Domestic Substances List)

Isopropyl alcohol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

1&2 Sprey: Lavender Delight

Listed on IARC (International Agency for Research on Cancer)
Listed on INSQ (Mexican National Inventory of Chemical Substances)

Isopropyl alcohol (67-63-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

1&2 Sprey: Lavender Delight	
State or local regulations	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S New York City - Right to Know Hazardous Substances List U.S Pennsylvania - RTK (Right to Know) List

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Isopropyl alcohol(67-63-0)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16 Other information

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) Issue date : 6/25/2025

Full text of hazard	I classes and H-statements
H225	Highly flammable liquid and vapor

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Full text of hazard classes and H-statements	
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.